

# Fire Safety Policy

The Governing Body has adopted  
The Meridian School Fire Safety Policy

Date adopted by the Governing Body: February 2016

Chair of Governors:



Date of Review: February 2018

# Fire Safety Policy

## Part 1: Fire prevention

### Introduction

The prevention of fire is of vital importance. A high standard of fire consciousness will prevent this. It is the responsibility of all personnel to become conversant with these instructions.

**Upon the outbreak of fire, the saving and preservation of life takes precedence over the salvaging of property.** No attempt should be made to fight fire until their safety is assured, and then without exposing any person to risk.

The school office is to be informed of all fires, no matter how small. They will then inform the Head, the Site Team and the Health and Safety Officer. The fire is not considered extinguished until such time as it has been inspected by the Fire Officer/Senior Premises Officer.

### Fire risk assessments

The Fire Precautions Workplace Amendment Regulations 1999 came into force on 1 December 1999. This ensures that employers are responsible for ensuring appropriate fire precautions, which include:

- appropriate fire detection and fire-fighting equipment that is accessible and simple to use
- arrangements for any necessary contacts with external emergency services
- provision of adequate emergency escape facilities

In order to do this, employers should carry out risk assessments and revise them from time to time. They should identify any person especially at risk in a case of fire, e.g. a person who is deaf, blind or disabled etc.

An emergency plan to evacuate the premises should be created, providing for calling the fire service and allocating individuals who are responsible for supervising, controlling and putting into effect the plan. Fire drills must be carried out in accordance with the emergency plan and modifications made. It is important that any actions arising from the fire risk assessment form part of the overall health and safety policy for the school to ensure that the management of all health and safety risks are considered together.

There are no hard and fast rules about how the assessment should be carried out. The important thing is that it should both be practical and systematic to ensure that the whole of the workplace is examined, including every room or area, particularly any area not often in use.

## **Strategy for fire prevention**

Management strategy for fire prevention may be classified as follows:

- everyday management and vigilance by staff to ensure that potential hazards are kept under control to prevent the occurrence of fire
- alarm, evacuation and emergency action backed up by notices, drills and practice to ensure that correct action is taken in the event of an outbreak of fire

A strategy should also include:

- planning for the actions to be taken in the event of fire:
  - training of staff, including any specially delegated function
  - provision of instruction to students
  - display of appropriate fire instruction notices
  - control of risks associated with activities or processes that may cause or adversely affect any outbreak of fire, e.g. process, storage, gas, electricity, contractors on site, vandalism
- check on existing structural precautions, and seeking further advice where there are thought to be deficiencies
- monitoring the effectiveness of precautions, e.g. analysis of evacuation drills, annual review by checklist

## **Staff training**

The fire officer – Mrs A Kirkham is responsible for ensuring that all staff in the premises are trained in accordance with the requirements of the school. Every member of staff will receive instruction in fire precautions during induction.

## **Control of risks: training of staff and instruction of students**

### **Employees**

- The training of all employed persons forms an essential part of the school's fire precautions. The aim should be to ensure that all staff receive training in a basic appreciation of the risk of fire and the action to be taken in the event of fire, including instruction appropriate to their responsibilities in an emergency.
- Instruction and training for all will include the following points.
  - action to be taken upon discovering a fire
  - action to be taken on hearing the fire alarm
  - method of raising the alarm, including location of call points, use of internal telephone system and location of external telephone
  - correct method of calling the fire service
  - location and use of fire-fighting equipment
  - knowledge of escape routes
  - evacuation method for the building, location of assembly point and method of accounting for persons
  - stopping machinery, activities and isolating power and fuel supplies where appropriate
  - appreciation of the importance of fire doors and the need to close all doors and windows at the time of a fire or on hearing the alarm.

## **Students**

Students should be instructed at the start of their attendance at the school to enable them to:

- identify the fire alarm
- know the action they should take on hearing the alarm
- know the location of the assembly points
- know what to do if not in a supervised group, in the event of fire

These points should be included on the fire notice, and reinforced during practice evacuations.

## **Fire drills**

Fire drills will be carried out at least once every term. The exercise will include a simulated evacuation drill with the assumption that one escape route is not available. Each exercise will be started by a predetermined signal, such as activating the fire alarm and the whole premises will be checked as if an emergency has arisen. This fire drill can be combined with the instruction given to staff. When a fire drill is held, it will be recorded in the staff training record book, held by the site manager.

All staff must participate in at least two drills per year.

## **Testing of fire alarm systems**

The fire alarm system will be tested weekly by the caretaker. A different call point for each test will be used and recorded in the log book. The fire alarm systems will be serviced twice a year.

## **Emergency lighting**

The emergency lighting is to be inspected annually by the Maintenance Contractor, any faults should be dealt with immediately.

## **Emergency exits**

All emergency exits are to be kept clear and free from obstruction at all times. It is the responsibility of all staff to be fully aware of the contents of these instructions and know the location of all fire exits and the assembly point in the immediate vicinity.

## **Fire alarms**

Electrical fire alarm operated by breaking a glass release button. The fire alarm is to be raised no matter how small the fire.

## **Fire-fighting equipment**

### **Fire extinguishers**

There should be the correct type of fire extinguisher at each fire point, dependent upon the location.

### **Fire prevention checks**

Regular fire prevention checks should be carried out.

Checks are to include the following.

- Unnecessary lights and electrical appliances (TVs, videos, microwave ovens etc.) are to be switched off and, where possible, unplugged.
- It is recommended that convector heaters are not used in school. All other electric fires must be regularly tested and maintained.

A fire prevention check is to be carried out in all areas at the termination of the day's work prior to the premises being vacated.

The following precautions are to be observed.

- With the exception of essential systems that must continue to operate after normal working hours, all electrical appliances and lighting systems are to be switched off and disconnected by a person nominated for this purpose.
- Waste paper bins are to be emptied and the contents removed from the building.
- All staff are responsible for ensuring the Computers and Electrical equipment in their area have been shut down/turned off.
- Windows are to be left free from obstruction. To facilitate detection of a fire from outside, prior to vacating rooms or premises at the end of the day, all curtains should be drawn apart, other than when security requirements dictate otherwise.

### **Housekeeping**

Tidiness and cleanliness are essential fire prevention measures. The accumulation of rubbish and waste material is to be kept to a minimum; it is to be cleared away each day on the cessation of work and removed to a safe location outside and away from buildings for early disposal.

Paint materials are subject to spontaneous ignition. Such items should be removed to a safe external location on cessation of work. The storage or accumulation of combustible materials in roof voids, under stairs and similar spaces is forbidden.

## **Smoking**

Smoking is one of the main causes of fire and is prohibited in the school and the school grounds.

## **Refuse and rubbish**

Refuse or rubbish must not be permitted to accumulate in or around the school.

## **Flammable materials**

Flammable materials are not to be stored near any form of heating.

## **Electrical appliances**

When using electrical appliances, the following rules should be observed.

- They are to be switched off and unplugged when not in use.
- They are to be fitted with the correct plug for the socket provided. Plugs are to be undamaged.
- Temporary wiring and extensions are not to be used.
- Electrical faults are to be reported immediately to the site manager.
- Fuses that have blown must only be replaced after establishing the cause for the blowing, with fuses of the correct rating.
- A fuse should never be replaced with one of a higher rating.
- Flexible cable to fittings should be as short as possible and should be inspected regularly and replaced if worn.
- Personal portable electrical appliances must be PAT tested.

## **Paint solvents**

Paints and solvents suitably marked are to be segregated in properly prepared stores.

Paint and solvents should be disposed of correctly.

## **Grass and undergrowth**

Grass and undergrowth is to be kept cut well back from buildings.

## **Kitchens**

In order that losses by fire are kept to a minimum and that catering facilities are not jeopardised, a high standard of fire precautions in kitchens is of paramount importance. Catering staff should be fire conscious and are to be trained in the action to be taken when a fire occurs.

## **Disabled persons**

Special precautions may be required when disabled persons have access to a building. Where possible they should be located within a building so that they are able to evacuate with the minimum of assistance. This will normally mean location on the ground floor. However, consideration must be given to any steps or other changes of level that may need to be crossed.

## **Vandalism and damage limitation**

Fire caused by vandals or persons breaking into a building intent on causing damage are a constant risk, and this type of fire is probably the greatest risk facing the school. Such fires are often started at night or during holidays, and result in extensive material damage, and disruption of students' education.

The opportunity for reducing such vandalism lies partly in the long-term development of a good relationship with neighbours, and partly in the security of the premises, by ensuring the windows and internal doors are properly secured when the building is unoccupied. Combustible materials should not be left where they are immediately accessible to intruders, and flammable liquids, which may be used as accelerants, should be stored securely.

Structural fire precautions incorporated to assist escape from buildings will also reduce the spread of fire. All fire doors should be closed when premises are vacated (closing of all doors and windows is recommended to limit the spread of smoke damage).

## **Curtains, furnishings, art displays and decorations**

Care should be taken when choosing curtains, furnishings and fittings. Inherent or tested fire-retardant materials should be used whenever possible.

- Art displays and other decorations of a combustible nature can increase the spread of fire considerably. Accordingly, the quantity and location of such displays is critical in reducing the fire loading.
- Displays should not be placed on escape routes or block exits.
- Sources of ignition, such as light bulbs, should not be placed near the displays.
- Expanded polystyrene and other plastics produce large amounts of toxic, black smoke and considerable heat. They should not be allowed on escape routes.
- In corridors or on staircases, wall displays made from combustible material should be limited to 20 per cent of the available overall surface.

## **Storage**

Readily combustible materials such as paper should be stored in designated areas where they will be secure against unauthorised entry. These areas must be free of sources of ignition, such as heaters and suspended lighting units.

Flammable liquids must be kept in purpose-built storerooms or cupboards provided with ventilation.

All persons handling such material should be aware of the dangers.

## **Electricity**

All electrical apparatus should be installed by an approved contractor, using the correctly rated fuse. If a fault occurs, get it repaired before continuing. Electrical installations should be checked regularly as electrical faults are a major cause of accidental fires.

All electrical equipment not required to be used out of hours should be switched off and the plug removed from the socket. All portable electrical equipment is to be checked every two years by a qualified person.

## **Fire doors**

Fire doors have at least one of two functions, to protect:

- escape routes from the effects of fire so that occupants can safely reach a final exit
- the contents and/or the structure of a building by limiting the spread of fire

Neither of the above functions will be satisfactorily undertaken unless the door is a good fit in the frame, the self-closing device is working efficiently and the door is not wedged or held open.

Even if a door is not a fire door, it may reduce smoke and heat damage, so at evenings and weekends, all doors should be left in the closed position.

## **Contractors**

Building contractors bring a large number of ignition sources to the school. Ensure that all contractors entering the premises are aware of the fire precaution measures and procedures, should a fire occur.

At the end of the day, no building materials should be left in open areas where vandals can use them to damage the premises.

The school business manager should be made aware when hot cutting work is to take place for both the safety of the students and the school.

## **School grounds**

Access for emergency vehicles must be kept clear at all times. Combustible buildings must be sited away from the main building to avoid fire spread. Areas beneath raised buildings should be protected against the accumulation of litter and access for intruders.

Combustibles, rubbish containers and equipment, which could be used by vandals, especially those used by outside contractors, must not be left unsecured.



## **Fire routine**

The purpose of the fire routine is to establish what action is to be carried out in the event of a fire. It should be in the form of a written notice and cover the basic facts below (see part 2):

- what to do if you discover a fire
- what to do when you hear the fire alarm
- evacuation
- assembly
- roll call
- calling the fire service
- special needs of cleaners, disabled, etc.

## **Advice on the procedure in the event of fire**

At time of emergency:

- If you discover a fire – or one is reported to you – operate the nearest fire alarm call point by breaking the glass.
- If you hear the fire alarm, evacuate the premises immediately, as detailed in the evacuation procedure for the school.
- Ensure that the fire service is called by dialling 9/999.

After the event, follow the procedure described below:

- Do not re-enter the premises until advised to do so by the senior fire service officer present.
- If the fire has been extinguished by school staff, do not disturb any evidence that could indicate the cause of the fire, except for ensuring that the fire is out.
- Ensure that the premises are in safe working order before re-occupying: fire doors satisfactory, fire alarm operating, extinguishers re-charged.
- Statistics have shown that any publicity given to a school fire can result in a second fire. Members of staff are not to talk to the media unless authorised by the headteacher.
- The fire officer is to analyse the procedures followed during the fire to determine whether changes are required.

## **Fire records**

The safety of a building's occupants cannot be assured by design alone. Any building can quickly become dangerous unless there is foresight in the activities carried out there, and care in the maintenance of it.

The following fire records are to be maintained:

- persons with special responsibilities
- fire alarm call point locations and checks
- weekly fire alarm tests
- fire alarm fault records
- fire alarm maintenance inspection
- emergency lighting maintenance inspection

- fire-fighting equipment routine monthly checks
- fire drills
- fire-fighting equipment tests and maintenance by contractors
- training records (quarterly and on induction)
- visits and inspections by the fire service

### **Publication of fire instructions**

These instructions are to be held by all staff.

All new arrivals are to have fire instructions brought to their attention.

Part 2 of these instructions are to be displayed prominently at all fire points.

The classroom fire notice is to be displayed in each classroom.

### **Appendix A: Deep-fat fryers**

The principal fire hazard in kitchens is the deep-fat fryer, whether or not it is thermostatically controlled. Cooking oils and fats over-heating or boiling over usually results in a fire that can rapidly involve the ceiling or fume extraction ducting. Fires in fryers usually occur when they are left unattended or when used by unqualified persons. Catering staff are to adhere to the following fire precautions.

- Deep-fat fryers are not to be left unattended when switched on. The appropriate fire precaution notice is to be prominently displayed.
- After use and when oil has sufficiently cooled, deep-fat fryers should be drained and oil strained into a suitable container.
- After repeated use of oil, a residue of food particles can build up and the danger of fire can become progressively higher.
- Defects in cooking apparatus are to be reported immediately.
- In the event of fire, electricity and gas supplies are to be switched off, preferably at the main switch or valve, and appropriate action taken.

Staff are to be aware of the locations of:

- fire alarms and fire-fighting equipment
- main electrical switch or gas isolation valve, which must be indicated by suitable notices
- dampers for isolating ducting in kitchen hoods etc.

## **Part 2: Fire procedures**

### **General fire notice**

#### **On discovering a fire:**

- operate the nearest fire alarm point without delay
- call the fire service by dialling 9/999
- evacuate all occupants to the agreed assembly point
- if fire has reached such proportions as to endanger life or escape, do not attempt to extinguish, but proceed to assembly point

#### **On hearing the fire alarm:**

- proceed to your assembly point and take the roll call
- on arrival of the fire service, the fire officer or a senior member of staff should meet the fire service officers and give as much information as possible about the fire

#### **Know:**

- your means of escape, primary and secondary
- the nearest fire-alarm point
- the nearest fire appliance and how it should be used
- the assembly point

#### **In the event of fire:**

- maintain silence
- do not stop to collect your personal belongings
- do not rush

**Remember to dial 9/999, ask for the fire service and give the precise location of the fire.**

### **Fire and emergency procedures**

All liaison in respect of fire precautions will be through the headteacher.

At a fixed time each week, the caretaker is to ensure that the alarm is tested to ensure that it is effective. Points from different zones should be used to trigger the alarm to ensure that all break glass or other points are in working order.

Fire drills must be carried out at least once per term to enable everyone to become familiar with the procedure for evacuation.

On sounding the alarm, the fire service must be summoned and all staff, students and visitors must leave the building immediately, closing doors and windows behind them if possible.

An assembly point should be designated at a safe distance from the building to prevent possible injury from falling debris.

If there is no risk of personal injury, attempts may be made to tackle the fire using a suitable type of extinguisher and to switch off power sources from the mains.

At all times, fire exit routes must be unobstructed. All exit doors must be unlocked whilst there are people in the building. Smoke doors must not be hooked or wedged open, other than to allow temporary movement within the area.

Exit routes must be clearly identified and marked.

The use of display material must be controlled on fire exit routes.

### **Extinguishers**

The location of all fire extinguishers must be clearly marked. No materials may be placed near these in such a way that their location is hidden or that their use is hindered.

### **Storage of flammable materials**

Flammable materials, such as paper, floor-cleaning materials and petroleum products, must not be stored in boiler houses or other high-risk locations.

### **Raise the alarm**

It is the duty of anyone discovering a fire to operate the nearest fire alarm point by breaking the glass cover. The nearest member of staff must be immediately informed.

### **Evacuation route**

Evacuate the building in an orderly manner.

### **Assembly areas during lessons**

Staff and students will assemble by classes at the playground between the swimming pool and C Block.

### **Roll call**

Teachers must ascertain, by roll call, the whereabouts of all students and staff and report the results of the roll call to the senior member of staff.

### **Instructions for fire officer**

The fire officer should undergo training in fire duties at the appropriate training establishment before assuming his or her appointment. Where it is not possible to arrange training before the appointment is assumed, he or she is to attend the first practicable course after appointment.

His or her primary duties are to:

- be responsible to the headteacher for all matters relating to fire precautions and the school fire organisation, establishing close liaison with the local fire service officer in the area
- supervise, maintain and control on behalf of the headteacher:
  - preparation of school fire instructions
  - measures for fire prevention and fire-fighting
  - allocation, maintenance and testing of all fire-fighting equipment held by the school for its fire protection
- maintain suitable records to show the following:
  - training of personnel and attendance on courses
  - distribution and appropriate inspection, maintenance and testing of school fire equipment, fire alarms and water supplies
- ensure that adequate arrangements are made for sign-posting and marking water supplies for fire-fighting, and that a water supply map is maintained for use by the fire service
- ensure that authorised fire notices are displayed as necessary
- ensure that contractors employed within the school perimeter maintain an adequate standard of fire precautions.